



Please Note! توجه


برای فعال شدن امکانات کاتالوگ در سیستم عامل اندروید
حتما نرم افزار Adobe Acrobat را نصب و کاتالوگ را
توسط آن مشاهده نمایید.

To activate the features of this catalog on
Android, please install Foxit PDF Reader or
Adobe Acrobat Reader on your device.

START

زبان مورد نظر خود را انتخاب کنید:

SELECT A LANGUAGE:





برای بازگشت به صفحه قبل روی این گزینه کلیک نمایید.

برای دسترسی به فهرست کاتالوگ در هر بخش روی این گزینه کلیک نمایید.

متوجه شدم

Arian Teknik

شروع
SMART CATALOG



برای شروع یکی را انتخاب کنید:

- 01 درباره ما
- 02 محصولات
- 03 گواهینامه ها
- 04 تماس با ما

Teknik_____



Arian

شرکت آرین تکنیک در سال ۱۳۹۰ هجری شمسی شروع به فعالیت در زمینه تولید، واردات و صادرات تخصصی محصولات چو ن انواع کفشوی های خطی، گاتر و کانالهای پیش ساخته رمپ و محوطه و حوله خشک کن نموده.

آرین تکنیک موفق گردیده با به کارگیری نیروی جوان و فعال اولین تولیدکننده انواع کفشوی، گاتر و کانالهای پیش ساخته در ایران باشد و با افزایش تنوع در مدل و ابعاد نیازهای بازار این محصول را برآورده کرده باشد و توانسته در زمینه صادرات در برخی از کشورهای همسایه و حاشیه خلیج فارس موفقیت کسب کرده باشد. همچنین با همکاری در بزرگترین و برترین پروژه های ایران توانسته سوابق خوبی را از خود به جای گذاشته باشد.

با انتخاب آرین تکنیک در یک تعامل برد برد، خدمات باارزش و قابل اعتماد دریافت نموده و روابط موثر و طولانی مدت برقرار خواهید کرد.

یکی از موارد زیر را انتخاب کنید:



یکی از موارد زیر را انتخاب کنید:

01 گاتر چدنی

02 گاتر پلی آمید

03 گاتر کنسولی و اسلیم لاین

04 گاتر استیل

05 گاتر سرامیک خور



کانال پلی آمید با گریل چدن B125

عرض ۱۳ سانتی متر



ارتفاع	جنس	تحميل وزن	عرض	طول	رنگ	کد محصول
6cm	گریل چدن داکتیل کانال پلی آمید	13 تن	13cm	50cm	نانو استاتیک	AT100
8cm		13 تن	13cm	50cm	نانو استاتیک	AT100
8cm		13 تن	13cm	100cm	نانو استاتیک	AT100
12cm		15 تن	13cm	50cm	نانو استاتیک	AT100





کانال پلی آمید با گریل چدنی معمولی

عرض ۱۳ سانتی متر



ارتفاع	جنس	تحمل وزن	عرض	طول	رنگ	کد محصول
6cm	گریل چدن داکتیل کانال پلی آمید	20 تن	13cm	50cm	نانو استاتیک	AT125
8cm		20 تن	13cm	50cm	نانو استاتیک	AT125
8cm		20 تن	13cm	100cm	نانو استاتیک	AT125
12cm		22 تن	13cm	50cm	نانو استاتیک	AT125






کانال پلی آمید با گریل چدنی C250 تقویت شده عرض ۱۳ سانتی متر



ارتفاع	جنس	تحمل وزن	عرض	طول	رنگ	کد محصول
6cm	گریل چدن داکتیل کانال پلی آمید	25 تن	13cm	50cm	نانو استاتیک	AT175
8cm		25 تن	13cm	50cm	نانو استاتیک	AT175
8cm		25 تن	13cm	100cm	نانو استاتیک	AT175
12cm		27 تن	13cm	50cm	نانو استاتیک	AT175





کانال پلی آمید با گریل چدن C250

عرض ۲۰ سانتی متر



ارتفاع	جنس	تحميل وزن	عرض	طول	رنگ	کد محصول
12cm	گریل چدن	25 تن	20cm	50cm	نانو استاتیک	AT150
12cm	داکتیل کانال پلی آمید	25 تن	20cm	100cm	نانو استاتیک	





کانال پلی آمید با گریل پلی کامپوزیتی عرض ۱۳ سانتی متر



جنس	ارتفاع	تحمل دما	تحمل وزن	عرض	طول	رنگ	کد محصول
گاتر پلی آمید کامپوزیتی	6cm	-50 و +240	25 تن	13cm	50cm	طوسی - مشکی	AT500
گاتر پلی آمید کامپوزیتی	8cm	-50 و +240	25 تن	13cm	50cm	طوسی - مشکی	AT500
گاتر پلی آمید کامپوزیتی	8cm	-50 و +240	25 تن	13cm	100cm	طوسی - مشکی	AT500
گاتر پلی آمید کامپوزیتی	13cm	-50 و +240	25 تن	13cm	50cm	طوسی - مشکی	AT500





کانال پلی آمید با گریل کامپوزیتی عرض 20 سانتی متر



کد محصول	رنگ	طول	عرض	تحمل وزن	تحمل دما	ارتفاع	جنس
AT550	طوسی - مشکی	50cm	20cm	20 تن	+240 و -50	12cm	گریل کامپوزیتی کانال پلی آمید
AT550	طوسی - مشکی	100cm	20cm	20 تن	+240 و -50	12cm	گریل کامپوزیتی کانال پلی آمید





کانال ABS با گریل پلی آمید

عرض 7 سانتی متر



جنس	ارتفاع	تحمل وزن	عرض	طول	رنگ	کد محصول
گریل پلی آمید کانال ABS	3.5cm	1 تن	7cm	50cm	طوسی - مشکی	AT600
	6.5cm	1 تن	7cm	50cm	طوسی - مشکی	AT600





کانال پلی آمید با گریل پلی آمید

عرض 10 سانتی متر



کد محصول	رنگ	طول	عرض	تحمل وزن	ارتفاع	جنس
AT650	طوسی - مشکی	50cm	10cm	3 تن	7cm	گریل پلی آمید کانال پلی آمید





کانال پلی آمید با گریل پلی آمید

عرض ۱۳ سانتی متر



ارتفاع	جنس	تحمّل وزن	عرض	طول	رنگ	کد محصول
6cm	گریل پلی آمید کانال پلی آمید	6تن	13cm	50cm	طوسی - مشکی	AT200
8cm		6 تن	13cm	50cm	طوسی - مشکی	AT200
8cm		6 تن	13cm	100cm	طوسی - مشکی	AT200
12cm		8 تن	13cm	50cm	طوسی - مشکی	AT200






کانال پلی آمید با گریل پلی آمید

عرض ۲۰ سانتی متر



ارتفاع	جنس	تحمل وزن	عرض	طول	رنگ	کد محصول
12cm	گریل پلی آمید	6 تن	20cm	50cm	طوسی - مشکی	AT250
12cm	کانال پلی آمید	6 تن	20cm	100cm	طوسی - مشکی	AT250





کانال پلی آمید با گریل اسلیم لاین

عرض ۱۳ سانتی متر



ارتفاع	جنس	تحمل وزن	عرض	طول	رنگ	کد محصول
6cm	دريچه استیل 304 کانال پلی آمید	5 تن	13cm	50cm	مشکی	AT400
8cm		5 تن	13cm	50cm	مشکی	AT400
8cm		6 تن	13cm	100cm	مشکی	AT400
12cm		6 تن	13cm	50cm	مشکی	AT400





کانال پلی آمید با گریل اسلیم لاین (کنار) عرض 5 سانتی متر



ارتفاع	جنس	تحمل وزن	عرض	طول	رنگ	کد محصول
6cm	دریچه استیل 304 کانال پلی آمید	5 تن	5cm	50cm	مشکی	AT400
8cm		5 تن	5cm	50cm	مشکی	AT400
8cm		6 تن	13cm	100cm	مشکی	AT400
12cm		6 تن	5cm	50cm	مشکی	AT400





کانال پلی آمید با گریل کنسولی

عرض ۱۳ سانتی متر



ارتفاع	جنس	تحمل وزن	عرض	طول	رنگ	کد محصول
6cm	گریل پلی آمید کانال پلی آمید	5 تن	13cm	50cm	مشکی	AT425
8cm		5 تن	13cm	50cm	مشکی	AT425
8cm		6 تن	13cm	100cm	مشکی	AT425
12cm		6 تن	13cm	50cm	مشکی	AT425





کانال پلی آمید با گریل استیل ۳۰۴

عرض ۱۳ سانتی متر



ارتفاع	جنس	تحمل وزن	عرض	طول	ضخامت استیل	کد محصول
6cm	گریل استیل 304 کانال پلی آمید	200kg	13cm	50cm	1.5mm	AT300
8cm		200kg	13cm	50cm	1.5mm	AT300
8cm		200kg	13cm	100cm	1.5mm	AT300
12cm		200kg	13cm	50cm	1.5mm	AT300





کانال پلی آمید با گریل استیل ۳۰۴

عرض ۲۰ سانتی متر



ارتفاع	جنس	تحمل وزن	عرض	طول	ضخامت استیل	کد محصول
12cm	گریل استیل 304	200kg	20cm	50cm	2mm	AT350
12cm	کانال پلی آمید	200kg	20cm	100cm	2mm	AT350





کانال پلی آمید با گریل استیل (سرامیک خور)

عرض ۷ سانتی متر



ارتفاع	جنس	تحمل وزن	عرض	طول	ضخامت استیل	کد محصول
6cm	گریل استیل 304 کانال پلی آمید	2 تن	7cm	50cm	1.5cm	AT475





کانال پلی آمید با گریل استیل (سرامیک خور) عرض ۷ سانتی متر



ارتفاع	جنس	تحميل وزن	عرض	طول	ضخامت استیل	کد محصول
3cm	گریل استیل 304 کانال پلی آمید	2 تن	7cm	50cm	1.5cm	AT485





کانال پلی آمید با گریل پلی آمید (سرامیک خور) عرض ۱۳ سانتی متر



ارتفاع	جنس	تحميل وزن	عرض	طول	رنگ	كد محصول
6cm	گریل پلی آمید کانال پلی آمید	5 تن	13cm	50cm	مشکی	AT450
8cm		5 تن	13cm	50cm	مشکی	AT450
8cm		6 تن	13cm	100cm	مشکی	AT450
12cm		6 تن	13cm	50cm	مشکی	AT450



یکی از موارد زیر را انتخاب کنید:

- 01 کفشور خطی سرامیک خور
تمام استیل آراین
- 02 کفشور خطی سرامیک خور
تمام استیل پلاس
- 03 کفشور خطی سرامیک خور
تمام استیل پرو
- 04 کفشور خطی سرامیک خور
تمام استیل پرواسلیم
- 05 کفشور خطی سرامیک خور
زیر ABS مدل BASIC
- 06 کفشور خطی مشبک تمام
استیل آراین
- 07 کفشور خطی مشبک تمام
استیل پرو
- 08 کفشور خطی مشبک تمام
استیل پرواسلیم
- 09 کفشور خطی مشبک تمام
استیل اسلیم
- 10 کفشورهای نقطه‌ای
سرامیک خور
- 11 کفشورهای نقطه‌ای مشبک



مشاهده جزئیات

SHOWER DRAINS LINEAR

کفشور فنی سرامیکی فور



MODEL: **ARIAN**

کفشور خطی تمام استیل سرامیک خور مدل آرین (دو حالت)



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
دو حالت سرامیک خور	30x7cm	تمام استیل 3.4 نگیر	ø51	15cm	ATS-0030A
دو حالت سرامیک خور	60x7cm	تمام استیل 3.4 نگیر	ø51	30cm	ATS-0060A
دو حالت سرامیک خور	80x7cm	تمام استیل 3.4 نگیر	ø51	40cm	ATS-0080A
دو حالت سرامیک خور	90x7cm	تمام استیل 3.4 نگیر	ø51	45cm	ATS-0090A
دو حالت سرامیک خور	100x7cm	تمام استیل 3.4 نگیر	ø51	50cm	ATS-0100A
دو حالت سرامیک خور	120x7cm	تمام استیل 3.4 نگیر	ø51	60cm	ATS-0120A



MODEL: PLUS

کفشور خطی تمام استیل سرامیک خور مدل پلاس (دو حالته)



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
دو حالته سرامیک خور	30x7cm	تمام استیل 3.4 نگیر	ø51	15cm	ATS-0030P
دو حالته سرامیک خور	60x7cm	تمام استیل 3.4 نگیر	ø51	30cm	ATS-0060P
دو حالته سرامیک خور	80x7cm	تمام استیل 3.4 نگیر	ø51	40cm	ATS-0080P
دو حالته سرامیک خور	90x7cm	تمام استیل 3.4 نگیر	ø51	45cm	ATS-0090P
دو حالته سرامیک خور	100x7cm	تمام استیل 3.4 نگیر	ø51	50cm	ATS-00100P
دو حالته سرامیک خور	120x7cm	تمام استیل 3.4 نگیر	ø51	60cm	ATS-00120P
دو حالته سرامیک خور	150x7cm	تمام استیل 3.4 نگیر	ø51	75cm	ATS-00150P



MODEL: PRO

کفشور تمام استیل سرامیک خور مدل پرو (دو حالته)



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
دو حالته سرامیک خور	30x7.5cm	تمام استیل 3.4 نگیر	Ø51	15cm	ATS-0030APR
دو حالته سرامیک خور	60x7.5cm	تمام استیل 3.4 نگیر	Ø51	30cm	ATS-0060PR
دو حالته سرامیک خور	80x7.5cm	تمام استیل 3.4 نگیر	Ø51	40cm	ATS-0080PR



MODEL: PRO SLIM

کفشور تمام استیل سرامیک خور مدل پرو اسلیم (دو حالته)



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
دو حالته سرامیک خور	30x6cm	تمام استیل 3.4 نگیر	ø36	15cm	ATS-0030PS
دو حالته سرامیک خور	60x6cm	تمام استیل 3.4 نگیر	ø36	30cm	ATS-0060PS



مشاهده جزئیات

SHOWER DRAINS LINEAR

کفشور فطی سرامیکی فور
زیر ABS



کفشور خطی سرامیک خور زیر مدل BASIC



مدل	ابعاد	رنگ	جنس	قطر لوله	کد محصول
سرامیک خور	30x5cm	سیلور-مشکی	درب استیل 3.4 نگیر زیر Abs	ø51	ATS-0030B
سرامیک خور	60x5cm	سیلور-مشکی	درب استیل 3.4 نگیر زیر Abs	ø51	ATS-0060B
سرامیک خور	80x5cm	سیلور-مشکی	درب استیل 3.4 نگیر زیر Abs	ø51	ATS-0080B





کفشور خطی سرامیک خور زیر abs (framless)



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
سرامیک خور بدون فرم	30x5cm	درب استیل زیر پلاستیک	ø51	15cm	ATS-0030B
سرامیک خور بدون فرم	60x5cm	درب استیل زیر پلاستیک	ø51	30cm	ATS-0060B
سرامیک خور بدون فرم	80x5cm	درب استیل زیر پلاستیک	ø51	40cm	ATS-0080B





مشاهده جزئیات

SHOWER DRAINS LINEAR

کفشور خطی مشبکی



MODEL: **ARIAN**

کفشور خطی مشبک تمام استیل مدل آرین طرح H



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
طرح H	30x7cm	تمام استیل 3.4 نگیر	ø51	15cm	ATM-0030A.H
طرح H	60x7cm	تمام استیل 3.4 نگیر	ø51	30cm	ATM-0060A.H
طرح H	80x7cm	تمام استیل 3.4 نگیر	ø51	40cm	ATM-0080A.H





MODEL: **ARIAN**

کفشور خطی مشبک تمام استیل مدل آرین طرح G



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
طرح G	30x7cm	تمام استیل 3.4 نگیر	ø51	15cm	ATM-0030A.G
طرح G	60x7cm	تمام استیل 3.4 نگیر	ø51	30cm	ATM-0060A.G
طرح G	80x7cm	تمام استیل 3.4 نگیر	ø51	40cm	ATM-0080A.G






MODEL: **ARIAN**

کفشور خطی مشبک تمام استیل مدل آرین طرح A



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
طرح A	30x7cm	تمام استیل 3.4 نگیر	ø51	15cm	ATM-0030A.A
طرح A	60x7cm	تمام استیل 3.4 نگیر	ø51	30cm	ATM-0060A.A
طرح A	80x7cm	تمام استیل 3.4 نگیر	ø51	40cm	ATM-0080A.A





MODEL: PRO

کفشور خطی مشبک تمام استیل مدل پرو طرح G



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
طرح G	30x7.5cm	تمام استیل 3.4 نگیر	ø51	15cm	ATM-0030P.G
طرح G	60x7.5cm	تمام استیل 3.4 نگیر	ø51	30cm	ATM-0060P.G
طرح G	80x7.5cm	تمام استیل 3.4 نگیر	ø51	40cm	ATM-0080P.G





MODEL: PRO

کفشور خطی مشبک تمام استیل مدل پرو طرح H



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
طرح H	30x7.5cm	تمام استیل 3.4 نگیر	ø51	15cm	ATM-0030P.H
طرح H	60x7.5cm	تمام استیل 3.4 نگیر	ø51	30cm	ATM-0060P.H
طرح H	80x7.5cm	تمام استیل 3.4 نگیر	ø51	40cm	ATM-0080P.H





MODEL: PRO SLIM

کفشور تمام استیل مشبک پرو اسلیم طرح A



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
طرح A	30x6cm	تمام استیل 3.4 نگیر	ø36	15cm	ATM-0030PS.A
طرح A	60x6cm	تمام استیل 3.4 نگیر	ø36	30cm	ATM-0060PS.A





MODEL: PRO SLIM

کفشور تمام استیل مشبک پرو اسلیم
طرح V



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
طرح V	30x6cm	تمام استیل 3.4 نگیر	ø36	15cm	ATM-0030PS.V
طرح V	60x6cm	تمام استیل 3.4 نگیر	ø36	30cm	ATM-0060PS.V





MODEL: PRO SLIM

کفشور تمام استیل مشبک پرو اسلیم طرح L



مدل	ابعاد	جنس	قطر لوله	آکس لوله	کد محصول
طرح L	30x6cm	تمام استیل 3.4 نگیر	ø36	15cm	ATM-0030PS.L
طرح L	60x6cm	تمام استیل 3.4 نگیر	ø36	30cm	ATM-0060PS.L






MODEL: **SLIM**

کفشور خطی مشبک تمام استیل مدل اسلیم



مدل	ابعاد	رنگ	جنس	قطر لوله	آکس لوله	کد محصول
slim طرح	60x5cm	سیلور	تمام استیل 3.4 نگیر	ø51	30cm	ATM-0060SL
slim طرح	60x5cm	مشکی	تمام استیل 3.4 نگیر	ø51	30cm	ATM-0060SL
slim طرح	60x5cm	طلایی	تمام استیل 3.4 نگیر	ø51	30cm	ATM-0060SL




مشاهده جزئیات

SHOWER DRAINS POINTWISE

کفشور نقطه ای سرامیکی فور



کفشور نقطه ای ۱۲ x ۱۲ سرامیک خور تمام استیل مدل آراین



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
دو حالت سرامیک خور	12x12cm	تمام استیل 3.4 نگیر	سیلور	ø51	ATS-12A-P





کفشور نقطه ای ۱۲/۵ x ۱۲/۵ سرامیک خور تمام استیل مدل پرو (دو حالته)



مدل	ابعاد	جنس	قطر لوله	کد محصول
سرامیک خور	15x15cm	تمام استیل 3.4 نگیر	ø51	ATS-15PR
سرامیک خور پارکینگی	15x15cm	تمام استیل 3.4 نگیر	ø100	ATS-15PR.Pk
سرامیک خور	12/5x12/5cm	تمام استیل 3.4 نگیر	ø51	ATS-12/5PR
سرامیک خور پارکینگی	12/5x12/5cm	تمام استیل 3.4 نگیر	ø100	ATS-12/5PR.PK






کفشور نقطه ای ۱۲/۵ x ۱۲/۵ مشبک سرامیک خور طرح G



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
سرامیک خور مشبک	12.5x12.5cm	تمام استیل 3.4 نگیر	سیلور	ø51	ATS-12/5G
سرامیک خور مشبک	12.5x12.5cm	تمام استیل 3.4 نگیر	طلایی	ø51	ATS-12/5G






کفشور نقطه ای ۱۰ X ۱۰ سرامیک خور تمام استیل



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
سرامیک خور تمام استیل	10x10cm	تمام استیل 3.4 نگیر	سیلور مات	ø51	ATS-10





کفشور نقطه ای ۱۰×۱۰ سرامیک خور زیر abs



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
سرامیک خور زیر پلاستیکی	10X10cm	درب استیل زیر ABS	سیلور	ø51	ATS-10ABS





مشاهده جزئیات

SHOWER DRAINS POINTWISE

کفشورهای نقطه‌ای مشبکی



کفشور نقطه ای ۱۲/۵×۱۲/۵ مشبک تمام استیل مدل پرو طرح G



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
مدل: G	12.5x12.5cm	استیل ۳۰۴ نگیر	سیلور	ø51	ATM-12.5PR.G





کفشور نقطه ای ۱۲/۵×۱۲/۵ مشبک تمام استیل مدل پرو طرح H



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
طرح: H	12.5x12.5cm	استیل ۳۰۴ نگیر	سیلور	ø51	ATM-12.5PR.H





کفشور ۱۲/۵ x ۱۲/۵ مشبک تمام استیل طرح G



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
طرح G	12/5x12/5cm	تمام استیل 3.4 نگیر	سیلور	ø51	ATM-12/5G





کفشور نقطه ای ۱۰×۱۰ مشبک تمام استیل طرح G



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
مشبک تمام استیل	10x10cm	تمام استیل	سیلورمات	ø51	ATM-10G
مشبک تمام استیل	10x10cm	تمام استیل	طلایی	ø51	ATM-10G





کفشور نقطه ای مشبک ۱۰×۱۰ تمام استیل طرح h



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
مشبک تمام استیل	10x10cm	تمام استیل	سیلورمات	Ø51	ATM-10H
مشبک تمام استیل	10x10cm	تمام استیل	طلایی	Ø51	ATM-10H





کفشور نقطه ای مشبک ۱۰×۱۰ زیر abs



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
مشبک تمام استیل	10x10cm	تمام استیل	سیلورمات	ø51	ATM-10ABS.G-H
مشبک تمام استیل	10x10cm	تمام استیل	طلائی	ø51	ATM-10ABS.G-H





کفشور نقطه ای مشبک ۱۰×۱۰ زیر abs طلائی



مدل	ابعاد	جنس	رنگ	قطر لوله	کد محصول
مشبک زیر پلاستیک	10x10cm	درب استیل زیر پلاستیک	طلائی	ø51	ATM-10ABS.G-H





کفشور نقطه ای ۲۰×۲۰ مشبک چدنی



مدل	ابعاد	جنس	وزن	قطر لوله	کد محصول
مشبک	20x20cm	چدن	20تن	ø80	ATM-20CH



Arian Teknik



مشاهده وبسایت

آدرس دفتر مرکزی

اصفهان، خیابان شیخ مفید، جنب داروخانه فریدزادگان،
ساختمان پویا، واحدهای ۳، ۵ و ۱۲
تلفن: ۰۳۱۳۶۶۵۰۹۷۶ - ۰۳۱۳۶۶۵۰۹۷۵

آدرس دفتر تهران

خیابان بنی هاشم
تلفن: ۰۲۱۲۸۴۲۹۳۴۳





Click here to return to the previous page.

Click here to access the menu for each catalog section.

I realized

Arian Teknik

START

SMART CATALOG



TO BEGIN, PLEASE SELECT ONE OF THE FOLLOWING ITEMS:

◀ ABOUT US

01

02

PRODUCTS ▶

◀ CERTIFICATES

03

04

CONTACT US ▶

Teknik_____

Arian

Founded in 2011, Arian Teknik specializes in manufacturing, importing, and exporting a wide range of specialized products including various linear shower drains, gutters, prefabricated channels for ramps and lots, and towel warmers.

Employing a dynamic and youthful workforce, Arian Teknik has become a pioneering manufacturer of diverse types of shower drains, gutters, and prefabricated channels in Iran. The company has expanded its product range in models and sizes to effectively meet market demands, achieving considerable success in exports to neighboring countries and the Persian Gulf region. Arian Teknik has also gained a formidable reputation by contributing to Iran's largest and most prestigious projects.

Selecting Arian Teknik establishes a win-win partnership, as this company delivers valuable and reliable services in addition to cultivating long-term, effective collaborations.

PLEASE SELECT ONE OF THE FOLLOWING ITEMS:

01 CHANNELS DRAIN (GUTTERS) >

< SHOWER DRAINS 02

PLEASE SELECT ONE OF THE FOLLOWING ITEMS:

> **Cast Iron Gutters**

01

> **Polyamide Gutters**

02

> **Console & Slimline Gutters**

03

> **Stainless Steel Gutters**

04

> **Tile Insert Gutters**

05



Polyamide Drainage Channel with B125 Cast Iron Grille Width: 13 cm



Code	Color	Length	Width	Load Capacity	Material	Height
AT100	Nano-Static	50 cm	13 cm	13 tons	Ductile Cast Iron Grille Polyamide Channel	6 cm
AT100	Nano-Static	50 cm	13 cm	13 tons		8 cm
AT100	Nano-Static	100 cm	13 cm	13 tons		8 cm
AT100	Nano-Static	50 cm	13 cm	13 tons		12 cm





Polyamide Drainage Channel with C250 Cast Iron Grille Width: 13 cm



Code	Color	Length	Width	Load Capacity	Material	Height
AT125	Nano-Static	50 cm	13 cm	20 tons	Ductile Cast Iron Grille Polyamide Channel	6 cm
AT125	Nano-Static	50 cm	13 cm	20 tons		8 cm
AT125	Nano-Static	100 cm	13 cm	20 tons		8 cm
AT125	Nano-Static	50 cm	13 cm	22 tons		12 cm





Polyamide Drainage Channel with Reinforced C250 Cast Iron Grille Width: 13 cm



Code	Color	Length	Width	Load Capacity	Material	Height
AT175	Nano-Static	50 cm	13 cm	25 tons	Ductile Cast Iron Grille Polyamide Channel	6 cm
AT175	Nano-Static	50 cm	13 cm	25 tons		8 cm
AT175	Nano-Static	100 cm	13 cm	25 tons		8 cm
AT175	Nano-Static	50 cm	13 cm	27 tons		12 cm





Polyamide Drainage Channel with C250 Cast Iron Grille Width: 20 cm



Code	Color	Length	Width	Load Capacity	Material	Height
AT150	Nano-Static	50 cm	20 cm	25 tons	Ductile Cast Polyamide Channel Iron Grille	12cm
AT150	Nano-Static	100 cm	20 cm	25 tons		12cm





Polyamide Drainage Channel with Composite Polyamide Grille Width: 13 cm



Code	Color	Length	Width	Load Capacity	Material	Height	Material
AT500	Gray-Black	50cm	13cm	25 tons	-50°C to +240°C	6cm	Ductile Cast Iron Grille Polyamide Channel
AT500	Gray-Black	50cm	13cm	25 tons	-50°C to +240°C	8cm	Ductile Cast Iron Grille Polyamide Channel
AT500	Gray-Black	100cm	13cm	25 tons	-50°C to +240°C	8cm	Ductile Cast Iron Grille Polyamide Channel
AT500	Gray-Black	50cm	13cm	25 tons	-50°C to +240°C	13cm	Ductile Cast Iron Grille Polyamide Channel





Polyamide Drainage Channel with Composite Polyamide Grille Width: 20 cm



Code	Color	Length	Width	Load Capacity	Temperature Resistance	Height	Material
AT550	Gray-Black	50 cm	20 cm	20 tons	-50°C to +240°C	12 cm	Composite Grille Polyamide Channel
AT550	Gray-Black	100 cm	20 cm	20 tons	-50°C to +240°C	12 cm	Composite Grille Polyamide Channel





کانال ABS با گریل پلی آمید

عرض 7 سانتی متر



جنس	ارتفاع	تحمل وزن	عرض	طول	رنگ	کد محصول
گریل پلی آمید کانال ABS	3.5cm	1 تن	7cm	50cm	طوسی - مشکی	AT600
	6.5cm	1 تن	7cm	50cm	طوسی - مشکی	AT600





کانال پلی آمید با گریل پلی آمید

عرض 10 سانتی متر



کد محصول	رنگ	طول	عرض	تحمل وزن	ارتفاع	جنس
AT650	طوسی - مشکی	50cm	10cm	3 تن	7cm	گریل پلی آمید کانال پلی آمید





Polyamide Drainage Channel with Polyamide Grille Width: 13 cm



Code	Color	Length	Width	Load Capacity	Material	Height
AT200	Gray-Black	50 cm	13 cm	6 tons	Polyamide Grille	6 cm
AT200	Gray-Black	50 cm	13 cm	6 tons		8 cm
AT200	Gray-Black	100 cm	13 cm	6 tons	Polyamide Channel	8 cm
AT200	Gray-Black	50 cm	13 cm	8 tons		12 cm





Polyamide Drainage Channel with Polyamide Grille Width: 20 cm



Code	Color	Length	Width	Load Capacity	Material	Height
AT250	Gray-Black	50 cm	20 cm	6 tons	Polyamide Grille Polyamide Channel	12cm
AT250	Gray-Black	100 cm	20 cm	6 tons		12cm





Polyamide Drainage Channel with Slimline Grille Width: 13 cm



Code	Color	Length	Width	Load Capacity	Material	Height
AT400	Black	50 cm	13 cm	5 tons	304 Stainless Steel Grille Polyamide Channel	6 cm
AT400	Black	50 cm	13 cm	5 tons		8 cm
AT400	Black	100 cm	13 cm	6 tons		8 cm
AT400	Black	50 cm	13 cm	6 tons		12 cm






Polyamide Drainage Channel with Side-Mounted Slimline Grille Width: 5 cm



Code	Color	Length	Width	Load Capacity	Material	Height
AT400	Black	50 cm	5 cm	5 tons	304 Stainless Steel Grille Polyamide Channel	6cm
AT400	Black	50 cm	5 cm	5 tons		8cm
AT400	Black	100 cm	5 cm	6 tons		8cm
AT400	Black	50 cm	5 cm	6 tons		12cm





Polyamide Drainage Channel with Console Grille Width: 13 cm



Code	Color	Length	Width	Load Capacity	Material	Height
AT425	Black	50 cm	13 cm	5 tons	Polyamide Grille	6cm
AT425	Black	50 cm	13 cm	5 tons		8cm
AT425	Black	100 cm	13 cm	6 tons	Polyamide Channel	8cm
AT425	Black	50 cm	13 cm	6 tons		12cm





**Polyamide Drainage Channel with
Stainless Steel Grille 304
Width: 13 cm**



Code	Steel Thickness	Length	Width	Load Capacity	Material	Height
AT300	1.5mm	50cm	13cm	200kg	304 Stainless Steel Grille Polyamide Channel	6cm
AT300	1.5mm	50cm	13cm	200kg		8cm
AT300	1.5mm	100cm	13cm	200kg		8cm
AT300	1.5mm	50cm	13cm	200kg		12cm





**Polyamide Drainage Channel with
Stainless Steel Grille 304
Width: 20 cm**



Code	Steel Thickness	Length	Width	Load Capacity	Material	Height
AT350	2mm	50cm	20cm	200kg	304 Stainless Steel Grille Polyamide Channel	12cm
AT350	2mm	100cm	20cm	200kg		12cm





Polyamide Drainage Channel with Tile Insert Stainless Steel Grille Width: 7 cm



Code	Steel Thickness	Length	Width	Load Capacity	Material	Height
AT475	1.5cm	50cm	7cm	2 tons	304 Stainless Steel Grille Polyamide Channel	6cm





Polyamide Drainage Channel with Tile Insert Stainless Steel Grille Width: 7cm



Code	Steel Thickness	Length	Width	Load Capacity	Material	Height
AT485	1.5cm	50cm	7cm	2 tons	304 Stainless Steel Grille Polyamide Channel	3cm





Polyamide Drainage Channel with Tile Insert Polyamide Grille Width: 13 cm



Code	Color	Length	Width	Load Capacity	Material	Height
AT450	Black	50 cm	13 cm	5 tons	Polyamide Grille	6cm
AT450	Black	50 cm	13 cm	5 tons		8cm
AT450	Black	100 cm	13 cm	6 tons	Polyamide Channel	8cm
AT450	Black	50 cm	13 cm	6 tons		12cm



**PLEASE SELECT ONE OF THE
FOLLOWING ITEMS:**

- ① Full Stainless Steel Linear Shower Drain, Arian Model 01
- ② Full Stainless Steel Linear Shower Drain, Plus Model 02
- ③ Full Stainless Steel Linear Shower Drain, Pro Model 03
- ④ Full Stainless Steel Linear Shower Drain, Pro-Slim Model 04
- ⑤ ABS-Based Tile Insert Linear Shower Drains 05
- ⑥ Full Stainless Steel Mesh Linear Shower Drain, Arian Model 06
- ⑦ Full Stainless Steel Mesh Linear Shower Drain, Pro Model 07
- ⑧ Full Stainless Steel Mesh Linear Shower Drain, Pro-Slime Model 08
- ⑨ Full Stainless Steel Mesh Linear Shower Drain, Slime Model 09
- ⑩ Tile Insert Point Shower Drain 10
- ⑪ Point Mesh Shower Drain 11



[VIEW DETAILS](#)

STAINLESS STEEL LINEAR SHOWER DRAINS



MODEL: **ARIAN**

Full Stainless Steel Dual-Mode Tile Insert Shower Drain



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATS-0030A	15cm	ø51	Full 304 Stainless Steel	30x7cm	Dual-Mode Tile Insert
ATS-0060A	30cm	ø51	Full 304 Stainless Steel	60x7cm	Dual-Mode Tile Insert
ATS-0080A	40cm	ø51	Full 304 Stainless Steel	80x7cm	Dual-Mode Tile Insert
ATS-0090A	45cm	ø51	Full 304 Stainless Steel	90x7cm	Dual-Mode Tile Insert
ATS-00100A	50cm	ø51	Full 304 Stainless Steel	100x7cm	Dual-Mode Tile Insert
ATS-00120A	60cm	ø51	Full 304 Stainless Steel	120x7cm	Dual-Mode Tile Insert



MODEL: **PLUS**

Full Stainless Steel Dual-Mode Tile Insert Shower Drain



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATS-0030P	15cm	ø51	Full 304 Stainless Steel	30x7cm	Dual-Mode Tile Insert
ATS-0060P	30cm	ø51	Full 304 Stainless Steel	60x7cm	Dual-Mode Tile Insert
ATS-0080P	40cm	ø51	Full 304 Stainless Steel	80x7cm	Dual-Mode Tile Insert
ATS-0090P	45cm	ø51	Full 304 Stainless Steel	90x7cm	Dual-Mode Tile Insert
ATS-00100P	50cm	ø51	Full 304 Stainless Steel	100x7cm	Dual-Mode Tile Insert
ATS-00120P	60cm	ø51	Full 304 Stainless Steel	120x7cm	Dual-Mode Tile Insert
ATS-00150P	75cm	ø51	Full 304 Stainless Steel	150x7cm	Dual-Mode Tile Insert



MODEL: **PRO**

Full Stainless Steel Dual-Mode Tile Insert Shower Drain



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATS-0030APR	15cm	ø51	Full 304 Stainless Steel	30x7.5cm	Dual-Mode Tile Insert
ATS-0060PR	30cm	ø51	Full 304 Stainless Steel	60x7.5cm	Dual-Mode Tile Insert
ATS-0080PR	40cm	ø51	Full 304 Stainless Steel	80x7.5cm	Dual-Mode Tile Insert



MODEL: **PRO SLIM**

Full Stainless Steel Dual-Mode Tile Insert Shower Drain



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATS-0030PS	15cm	ø36	Full 304 Stainless Steel	30x6cm	Dual-Mode Tile Insert
ATS-0060PS	30cm	ø36	Full 304 Stainless Steel	60x6cm	Dual-Mode Tile Insert



VIEW DETAILS

**ABS-BASED TILE
INSERT LINEAR
SHOWER DRAINS**



Frameless ABS-Based Tile Insert Linear Shower Drain, Basic Model



Code	Pipe Diameter	Material	Color	Dimensions	Model
ATS-0030B	ø51	Full 304 Stainless Steel ABS Base	Silver-Black	30x5cm	Tile Insert
ATS-0060B	ø51	Full 304 Stainless Steel ABS Base	Silver-Black	60x5cm	Tile Insert
ATS-0080B	ø51	Full 304 Stainless Steel ABS Base	Silver-Black	80x5cm	Tile Insert





Frameless ABS-Based Tile Insert Linear Shower Drain



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATS-0030B	15cm	ø51	Stainless Steel Cover ABS Base	30x5cm	FramelessTile Insert
ATS-0060B	30cm	ø51	Stainless Steel Cover ABS Base	60x5cm	FramelessTile Insert
ATS-0080B	40cm	ø51	Stainless Steel Cover ABS Base	80x5cm	FramelessTile Insert





VIEW DETAILS

SHOWER DRAIN WITH MESH GRATE



MODEL: **ARIAN**

Full Stainless Steel Linear Shower Drain with Mesh Grate, H Design



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATM-0030A.H	15cm	ø51	Full 304 Stainless Steel	30x7cm	H Design
ATM-0060A.H	30cm	ø51	Full 304 Stainless Steel	60x7cm	H Design
ATM-0080A.H	40cm	ø51	Full 304 Stainless Steel	80x7cm	H Design





MODEL: **ARIAN**

Full Stainless Steel Linear Shower Drain with Mesh Grate, G Design



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATM-0030A.G	15 cm	ø51	Full 304 Stainless Steel	30x7cm	G Design
ATM-0060A.G	30 cm	ø51	Full 304 Stainless Steel	60x7cm	G Design
ATM-0080A.G	40 cm	ø51	Full 304 Stainless Steel	80x7cm	G Design





MODEL: **ARIAN**

Full Stainless Steel Linear Shower Drain with Mesh Grate, A Design



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATM-0030A.A	15 cm	ø51	Full 304 Stainless Steel	30 x7 cm	A Design
ATM-0060A.A	30 cm	ø51	Full 304 Stainless Steel	60 x7 cm	A Design
ATM-0080A.A	40 cm	ø51	Full 304 Stainless Steel	80 x7 cm	A Design





MODEL: **PRO**

Full Stainless Steel Linear Shower Drain with Mesh Grate, G Design



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATM-0030P.G	15cm	ø51	Full 304 Stainless Steel	30x7.5cm	G Design
ATM-0060P.G	30cm	ø51	Full 304 Stainless Steel	60x7.5cm	G Design
ATM-0080P.G	40cm	ø51	Full 304 Stainless Steel	80x7.5cm	G Design





MODEL: **PRO**

Full Stainless Steel Linear Shower Drain with Mesh Grate, H Design



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATM-0030P.H	15cm	ø51	Full 304 Stainless Steel	30x7.5cm	H Design
ATM-0060P.H	30cm	ø51	Full 304 Stainless Steel	60x7.5cm	H Design
ATM-0080P.H	40cm	ø51	Full 304 Stainless Steel	80x7.5cm	H Design





MODEL: **PRO SLIM**

Full Stainless Steel Shower Drain with Mesh Grate, A Design



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATM-0030PS.A	15cm	ø36	Full 304 Stainless Steel	30x6cm	A Design
ATM-0060PS.A	30cm	ø36	Full 304 Stainless Steel	60x6cm	A Design






MODEL: **PRO SLIM**

Full Stainless Steel Shower Drain with Mesh Grate, V Design



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATM-0030PS.V	15cm	ø36	Full 304 Stainless Steel	30x6cm	V Design
ATM-0060PS.V	30cm	ø36	Full 304 Stainless Steel	60x6cm	V Design





MODEL: **PRO SLIM**

Full Stainless Steel Shower Drain with Mesh Grate, L Design



Code	Pipe Offset	Pipe Diameter	Material	Dimensions	Model
ATM-0030PS.L	15cm	ø36	Full 304 Stainless Steel	30x6cm	L Design
ATM-0060PS.L	30cm	ø36	Full 304 Stainless Steel	60x6cm	L Design






MODEL: **SLIM**

Full Stainless Steel Linear Shower Drain with Mesh Grate



Code	Pipe Offset	Pipe Diameter	Material	Color	Dimensions	Model
ATM-0060SL	30cm	ø51	Full 304 Stainless Steel	Silver	60x5cm	Slim Design
ATM-0060SL	30cm	ø51	Full 304 Stainless Steel	Black	60x5cm	Slim Design
ATM-0060SL	30cm	ø51	Full 304 Stainless Steel	Gold	60x5cm	Slim Design



VIEW DETAILS

TILE INSERT POINT SHOWER DRAIN



Full Stainless Steel Tile Insert Point Shower Drain (12 x 12 cm), Arian Model



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATS-12A-P	ø51	Silver	Full 304 Stainless Steel	12x12cm	Dual-Mode Tile Insert





Full Stainless Steel Dual-Mode Tile Insert Point Shower Drain (12.5 x 12.5), Pro Model



Code	Pipe Diameter	Material	Dimensions	Model
ATS-15PR	ø51	Full 304 Stainless Steel	15x15cm	Tile Insert
ATS-15PR.Pk	ø100	Full 304 Stainless Steel	15x15cm	Tile Insert for Parking areas
ATS-12/5PR	ø51	Full 304 Stainless Steel	12/5x12/5cm	Tile Insert
ATS-12/5PR.PK	ø100	Full 304 Stainless Steel	12/5x12/5cm	Tile Insert for Parking areas






Tile Insert Point Mesh Shower Drain (12.5 x 12.5 cm), G Design



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATS-12/5G	ø51	Silver	Full 304 Stainless Steel	12.5x12.5cm	Mesh Tile Insert
ATS-12/5G	ø51	Gold	Full 304 Stainless Steel	12.5x12.5cm	Mesh Tile Insert






Full Stainless Steel Tile Insert Point Shower Drain (10 x 10 cm)



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATS-10	ø51	Matte Silver	Full 304 Stainless Steel	10x10cm	Full Stainless Steel Tile Insert





ABS-based Tile Insert Point Shower Drain (10 x 10 cm)



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATS-10ABS	ø51	Silver	ABS-based Stainless Steel Cover	10X10cm	Tile Insert Plastic-based





VIEW DETAILS

POINT MESH SHOWER DRAIN



MODEL: **PRO**

Full Stainless Steel Point Mesh Shower Drain (12.5 x 12.5 cm), G Design



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATM-12.5PR.G	ø51	Silver	Full 304 Stainless Steel	12/5x12/5cm	G Design



Back **BACK**

MENU



Menu



MODEL: **PRO**

Full Stainless Steel Point Mesh Shower Drain (12.5 x 12.5 cm), H Design



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATM-12.5PR.H	ø51	Silver	Full 304 Stainless Steel	12/5x12/5cm	H Design



Back **BACK**

MENU



Menu



Full Stainless Steel Mesh Shower Drain (12.5 x 12.5 cm), G Design



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATM-12/5G	ø51	Silver	Full 304 Stainless Steel	12/5x12/5cm	G Design



Back **BACK**

MENU





Full Stainless Steel Point Mesh Shower Drain (10 x 10 cm), G Design



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATM-10G	ø51	Matte Silver	Full Stainless Steel	10x10cm	Full Stainless Steel Mesh
ATM-10G	ø51	Gold	Full Stainless Steel	10x10cm	Full Stainless Steel Mesh





Full Stainless Steel Point Mesh Shower Drain (10 x 10 cm), H Design



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATM-10H	ø51	Matte Silver	Full Stainless Steel	10x10cm	Full Stainless Steel Mesh
ATM-10H	ø51	Gold	Full Stainless Steel	10x10cm	Full Stainless Steel Mesh





ABS-based Point Mesh Shower Drain (10 x 10 cm)



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATM-10ABS.G-H	ø51	Matte Silver	Full Stainless Steel	10x10cm	Full Stainless Steel Mesh
ATM-10ABS.G-H	ø51	Gold	Full Stainless Steel	10x10cm	Full Stainless Steel Mesh





Golden ABS-based Point Mesh Shower Drain (10 x 10 cm)



Code	Pipe Diameter	Color	Material	Dimensions	Model
ATM-10ABS.G-H	ø51	Gold	Plastic Cover Plastic Base	10x10cm	Plastic-based Mesh





Cast Iron Point Mesh Shower Drain (20 x 20 cm)



مدل	ابعاد	جنس	وزن	قطر لوله	کد محصول
مشبک	20x20cm	چدن	20تن	ø80	ATM-20CH





Visit Website

Central Office Address:

Units 3, 5, and 12, Pouya Building, next to Faridzadegan Pharmacy, Sheikh Mofid St., Isfahan, Isfahan Province, Iran

Phone: +9831 36 65 09 76, +9831 36 65 09 75

Tehran Office Address:

Bani Hashem Street, Tehran, Iran

Phone: +9821 28 42 93 43

